

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
Division LYCOPODIOPHYTA Class LYCOPODIOPSIDA Order LYCOPODIALES					
Family LYCOPODIACEAE Clubmoss Family					
002	<i>Huperzia lucidula</i> (Michaux) Trevisan Synonyms: <i>Lycopodium lucidulum</i> Michx. [F50; GC91; S93; USDA82]	Shining Clubmoss	NPF (FACW-)	1	III
003	<i>Lycopodium obscurum</i> Linnaeus	Prince's- or Princess-pine; Ground-pine, Flat-branched Tree-clubmoss	NPF (FACU)	1	III
004	<i>Diphasiastrum digitatum</i> (Dillenius ex A. Braun) Holub Synonyms: <i>Lycopodium complanatum</i> L. var. <i>flabelliforme</i> Fern. [F50; S93] <i>Lycopodium digitatum</i> Dillen. [GC91] <i>Lycopodium digitatum</i> Dillenius ex A. Braun [K94; USDA82]	Creeping Jenny, Ground-cedar; Running Cedar; Dead-man's-fingers (RI Colloquialism)	NPF (FACU-)	1	III
Division EQUISETOPHYTA Class EQUISETOPSIDA Order EQUISETALES					
Family EQUISETACEAE Horsetail Family					
008	<i>Equisetum sylvaticum</i> Linnaeus Synonyms: <i>Equisetum sylvaticum</i> L. var. <i>pauciramosum</i> Milde [F50; S93]	Wood- or Woodland-horsetail	NPF (FACW)	1	II
Division POLYPODIOPHYTA Class POLYPODIOPSIDA Order OPHIOGLOSSALES					
Family OPHIOGLOSSACEAE Adder's-tongue Family					
011	<i>Botrychium dissectum</i> Sprengel Synonyms: <i>Botrychium dissectum</i> Sprengel var. <i>obliquum</i> (Muhl. ex Willd.) Clute [GC91]	Cut-leaved or Lace-frond Grapefern	NPF (FAC)	1	III
Class POLYPODIOPSIDA Order POLYPODIALES					
Family OSMUNDACEAE Royal Fern Family					
012	<i>Osmunda regalis</i> Linnaeus var. <i>spectabilis</i> (Willdenow) A. Gray	Royal Fern	NPEF (OBL)	1	IV
012	<i>Osmunda cinnamomea</i> Linnaeus Synonyms: <i>Osmunda cinnamomea</i> L. var. <i>cinnamomea</i> [GC91; K94; S93] <i>Osmunda cinnamomea</i> L. var. <i>glandulosa</i> Waters [F50; K94; S93]	Cinnamon Fern	NPEF (FACW)	1	IV
012	<i>Osmunda claytoniana</i> Linnaeus Synonyms: <i>Osmunda claytoniana</i> L. var. <i>claytoniana</i> [GC91]	Interrupted Fern	NPF (FAC)	1	IV

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
Class POLYPODIOPSIDA Order POLYPODIALES					
Family DENNSTAEDTIACEAE Bracken Family					
015	<i>Dennstaedtia punctilobula</i> (Michaux) T. Moore	Hay-scented Fern, Boulder-fern	NPF	1	IV
015	<i>Pteridium aquilinum</i> (Linnaeus) Kuhn var. <i>latiusculum</i> (Desvaux) L. Underwood ex A. Heller	Bracken Fern, Brakes (RI colloquialism)	NPF (FACU)	1	IV
	Synonyms: <i>Pteridium aquilinum</i> (L.) Kuhn var. <i>latiusculum</i> (Desvaux) Underw. [F50; GC91; S93]				
Class POLYPODIOPSIDA Order POLYPODIALES					
Family DRYOPTERIDACEAE (Section 1) Wood-fern Family					
021	<i>Athyrium filix-femina</i> (Linnaeus) Mertens	lady fern	NPF (FAC)	1	III
Class POLYPODIOPSIDA Order POLYPODIALES					
Family THELYPTERIDACEAE Marsh-fern Family					
025	<i>Thelypteris noveboracensis</i> (Linnaeus) Nieuwland	New York Fern	NPF (FAC)	1	IV
	Synonyms: <i>Dryopteris noveboracensis</i> (L.) Gray [F50]				
025	<i>Thelypteris palustris</i> Schott var. <i>pubescens</i> (Lawson) Fernald	Marsh- or Meadow-fern	NPEF (FACW+)	1	IV
	Synonyms: <i>Dryopteris thelypteris</i> (L.) Gray var. <i>pubescens</i> (Lawson) Nakai [F50] <i>Thelypteris thelypteroides</i> (Michx.) J. Holub [USDA82]				
Class POLYPODIOPSIDA Order POLYPODIALES					
Family DRYOPTERIDACEAE (Section 2) Wood-fern Family					
026	<i>Dryopteris cristata</i> (Linnaeus) A. Gray	Crested Wood-fern	NPEF (FACW+)	1	III
027	<i>Dryopteris carthusiana</i> (Villars) H. P. Fuchs	Spinulose or Toothed Wood-fern; Fancy Fern, Florist's Fern	NPF (FAC+)	1	III
	Synonyms: <i>Dryopteris spinulosa</i> (O. F. Muell.) Watt [F50; USDA82] <i>Dryopteris spinulosa</i> (O. F. Muell.) Watt var. <i>spinulosa</i> [S93]				
028	<i>Polystichum acrostichoides</i> (Michaux) Schott	Christmas Fern, Dagger-fern, Canker-brake	NPF (FACU-)	1	III
029	<i>Onoclea sensibilis</i> Linnaeus	Sensitive Fern	NPEF (FACW)	1	IV

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
Class PINOPSIDA		Order CONIFERALES			
Family PINACEAE Pine Family					
034	<i>Tsuga canadensis</i> (Linnaeus) Carrière	Eastern Hemlock	NT (FACU)	1	III
035	<i>Pinus strobus</i> Linnaeus	Eastern or Northern White Pine	NT (FACU)	1	IV
035	<i>Pinus rigida</i> Miller	Pitch Pine	NT (FACU)	1	III
Class PINOPSIDA		Order PINALES			
Family CUPRESSACEAE Cypress Family					
037	<i>Juniperus communis</i> Linnaeus var. <i>depressa</i> Pursh	Common Juniper, Savin; Barren Ground-juniper (RI colloquialism)	NS	1	III
	Synonyms: <i>Juniperus communis</i> L. var. <i>communis</i>	[FNA93 considers this variety to be large specimens of var. <i>depressa</i>]			
037	<i>Juniperus virginiana</i> Linnaeus var. <i>virginiana</i>	Northern or Eastern Red Cedar	NT (FACU)	1	IV
	Synonyms: <i>Juniperus virginiana</i> L. var. <i>creba</i> Fernald & Griscom	[F50; GC91; S93]			
Division MAGNOLIOPHYTA		Class MAGNOLIOPSIDA (Dicotyledons)		Order MAGNOLIALES	
Family MAGNOLIACEAE		Magnolia Family			
039	<i>Liriodendron tulipifera</i> L.	Tulip-tree, Yellow Poplar, Tulip-poplar	NT (FACU)	1	III
Class MAGNOLIOPSIDA		Order LAURALES			
Family LAURACEAE Laurel Family					
041	<i>Sassafras albidum</i> (Nutt.) Nees	Sassafras, White Sassafras, "Red" Sassafras	NT (FACU-)	1	IV
	Synonyms: <i>Sassafras albidum</i> var. <i>albidum</i> [S93] <i>Sassafras albidum</i> var. <i>molle</i> (Raf.) Fern. [S93]				
041	<i>Lindera benzoin</i> (L.) Blume var. <i>benzoin</i>	Northern Spicebush, Wild Allspice, Benjamin-bush	NS (FACW-)	1	IV

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
Class MAGNOLIOPSIDA Order NYMPHAEALES					
Family NYMPHAEACEAE Water-lily Family					
045	<i>Nuphar variegata</i> Durand	Yellow Pond-lily, Spatterdock, Bull-lily, Bullhead-lily	NPE/F (OBL)	1	III
	Synonyms:	<i>Nuphar lutea</i> (L.) Sm. ssp. <i>variegata</i> (Dur.) E. O. Beal [K94] <i>Nuphar luteum</i> (L.) Sibth. & J. E. Smith ssp. <i>variegatum</i> (Engelm. ex G. W. Clinton) E. O. Beal [USDA82] <i>Nuphar variegatum</i> Engelm. [F50; S93]			
Class MAGNOLIOPSIDA Order RANUNCULALES					
Family RANUNCULACEAE Buttercup Family					
048	<i>Caltha palustris</i> L.	Marsh-marigold, Cowslip	NPF (OBL)	1	III
052	<i>Anemone quinquefolia</i> L. var. <i>quinquefolia</i>	Wood-anemone, Windflower; Mayflower (RI colloquialism)	NPF (FACU)	1	IV
054	<i>Clematis virginiana</i> L.	Virgin's Bower, Old-man's-beard, Wild Clematis, Devil's-darning-needle	NPV (FAC)	1	III
062	<i>Thalictrum pubescens</i> Pursh	Tall Meadow-rue, Muskrat-weed, King-of-the-meadow	NPF (FACW+)	1	III
	Synonyms:	<i>Thalictrum polygamum</i> Muhl. var. <i>intermedium</i> Boivin [F50; S93] <i>Thalictrum polygamum</i> Muhl. var. <i>polygamum</i> [S93]			
062	<i>Coptis trifolia</i> (L.) Salisb. var. <i>groenlandica</i> (Oeder) Fassett	Goldthread, Canker-root	NPF (FACW)	1	III
	Synonyms:	<i>Coptis groenlandica</i> (Oeder) Fern. [F50; S93] <i>Coptis trifolia</i> (L.) Salisb. [FNA97; MT97] <i>Coptis trifolia</i> (L.) Salisb. ssp. <i>groenlandica</i> (Oeder) Hultén [K94; USDA82]			
Class MAGNOLIOPSIDA Order RANUNCULALES					
Family BERBERIDACEAE Barberry Family					
064	<i>Berberis thunbergii</i> DC.	Japanese Barberry	IS (FACU)	4*	IV
Class MAGNOLIOPSIDA Order HAMAMELIDALES					
Family HAMAMELIDACEAE Witch-hazel Family					
071	<i>Hamamelis virginiana</i> L.	Witch-hazel	NST (FACU+)	1	III

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
Class MAGNOLIOPSIDA Order URTICALES					
Family ULMACEAE Elm Family					
072	<i>Ulmus americana</i> L.	American or White Elm	NT (FACW-)	1	III
Class MAGNOLIOPSIDA Order URTICALES					
Family URTICACEAE Nettle Family					
076	<i>Boehmeria cylindrica</i> (L.) Swartz	Bog-hemp, False Nettle	NPF (FACW+)	1	III
	Synonyms:	<i>Boehmeria cylindrica</i> (L.) Swartz var. <i>cylindrica</i> [S93] <i>Boehmeria cylindrica</i> (L.) Swartz var. <i>drummondiana</i> Wedd. [F50; S93] <i>Boehmeria cylindrica</i> (L.) Swartz var. <i>drummondiana</i> (Wedd.) Wedd. [USDA82]			
Class MAGNOLIOPSIDA Order JUGLANDALES					
Family JUGLANDACEAE Walnut Family					
078	<i>Carya</i> sp.	hickory	NT	1	III
Class MAGNOLIOPSIDA Order MYRICALES					
Family MYRICACEAE Bayberry Family					
080	<i>Comptonia peregrina</i> (L.) J. M. Coulter	Sweet Fern	NS	1	IV
	Synonyms:	<i>Myrica asplenifolia</i> L. [USDA82]			
Class MAGNOLIOPSIDA Order FAGALES					
Family FAGACEAE Beech Family					
081	<i>Fagus grandifolia</i> Ehrh. var. <i>grandifolia</i>	American Beech, Red Beech	NT (FACU)	1	IV
	Synonyms:	<i>Fagus grandifolia</i> Ehrh. [FNA97; K94; USDA82]			
082	<i>Castanea dentata</i> (Marshall) Borkh.	American Chestnut	NT	1	III
084	<i>Quercus alba</i> L.	White Oak	NT (FACU)	1	IV
086	<i>Quercus ilicifolia</i> Wangenh.	Scrub-oak, Bear-oak	NT	1	III
087	<i>Quercus velutina</i> Lam.	Black Oak	NT	1	IV

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
087	<i>Quercus rubra</i> L.	Northern Red Oak	NT (FACU-)	1	IV
Class MAGNOLIOPSIDA		Order FAGALES			
Family BETULACEAE		Birch Family			
088	<i>Corylus cornuta</i> Marshall	Beaked Hazelnut	NS (FACU-)	1	III
088	<i>Ostrya virginiana</i> (Miller) K. Koch	Hop-hornbeam, Ironwood, Leverwood	NT (FACU-)	1	III
089	<i>Carpinus caroliniana</i> Walter var. <i>virginiana</i> (Marshall) Fern.	Ironwood, Musclewood, Blue Beech, American Hornbeam	NT (FAC)	1	III
	Synonyms:	<i>Carpinus caroliniana</i> Walter ssp. <i>virginiana</i> (Marshall) Furlow [FNA97; K94; MT97]			
089	<i>Betula alleghaniensis</i> Britton	Yellow Birch	NT (FAC)	1	III
	Synonyms:	<i>Betula alleghaniensis</i> Britton var. <i>alleghaniensis</i> [K94; S93] <i>Betula alleghaniensis</i> Britton var. <i>macrolepis</i> (Fern.) Braysshaw [K94; S93] <i>Betula lutea</i> Michx. f. [F50] <i>Betula lutea</i> Michx. f. var. <i>macrolepis</i> Fern. [F50]			
090	<i>Betula lenta</i> L.	Sweet, Black, or Cherry Birch	NT (FACU)	1	III
090	<i>Betula populifolia</i> Marshall	Gray or White Birch; Oldfield-birch	NT (FAC)	1	IV
091	<i>Alnus incana</i> (L.) Moench. var. <i>americana</i> Regel	Speckled Alder	NST (FACW)	1	III
	Synonyms:	<i>Alnus incana</i> (L.) Moench. ssp. <i>rugosa</i> (Du Roi) Clausen [FNA97; K94] <i>Alnus rugosa</i> (Du Roi) Sprengel [F50; USDA82] <i>Alnus rugosa</i> (Du Roi) Sprengel var. <i>americana</i> (Regel) Fern. [S93]			
Class MAGNOLIOPSIDA		Order POLYGONALES			
Family POLYGONACEAE		Smartweed Family			
137	<i>Polygonum hydropiperoides</i> Michx.	False Water-pepper, Smartweed	NPF (OBL)	1	III
	Synonyms:	<i>Polygonum hydropiperoides</i> Michx. [K94] <i>Polygonum opelousanum</i> Riddell ex Small [USDA82] <i>Polygonum opelousanum</i> Riddell var. <i>adenocalyx</i> Stanford [F50; S93] <i>Polygonum opelousanum</i> Riddell var. <i>opelousanum</i> [S93]			

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
138	<i>Polygonum arifolium</i> L. Synonyms: <i>Polygonum arifolium</i> L. var. <i>pubescens</i> (Keller) Fern. [F50; S93; USDA82]	Halberd-leaved Tearthumb	NAEF (OBL)	1	III
Class MAGNOLIOPSIDA		Order THEALES			
Family CLUSIACEAE		Mangosteen Family			
144	<i>Hypericum punctatum</i> Lam.	Spotted St. John's-wort	NPF (FAC-)	1	III
145	<i>Hypericum canadense</i> L.	Narrow-leaved or Canada St. John's-wort	NAPF (FACW)	1	III
145	<i>Triadenum virginicum</i> (L.) Raf. Synonyms: <i>Hypericum virginicum</i> L. [F50; S93]	Marsh St. John's-wort	NPEF (OBL)	1	III
Class MAGNOLIOPSIDA		Order VIOLALES			
Family VIOLACEAE		Violet Family			
158	<i>Viola</i> spp.	violets	PF		
159	<i>Viola sagittata</i> Aiton Synonyms: <i>Viola emarginata</i> (Nutt.) LeConte [F50 lists as a separate species] <i>Viola fimbriatula</i> Sm. [F50, S93, & USDA82 list as a separate species] <i>Viola</i> X <i>emarginata</i> (Nutt.) LeConte [USDA82]	Northern Downy or Arrow-leaved Violet	NPF (FACW)	1	III
Class MAGNOLIOPSIDA		Order SALICALES			
Family SALICACEAE		Willow Family			
168	<i>Salix</i> sp.	willow	NS	1	III
Class MAGNOLIOPSIDA		Order CAPPARALES			
Family BRASSICACEAE		Mustard Family			
193	<i>Rorippa nasturtium-aquaticum</i> (L.) Hayek Synonyms: <i>Nasturtium officinale</i> R. Br. [F50; USDA82]	True Watercress	IPZEF (OBL)	4	III

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
Class MAGNOLIOPSIDA		Order ERICALES			
Family CLETHRACEAE		Clethra Family			
200	<i>Clethra alnifolia</i> L.	Sweet Pepperbush, Soapbush, Coast White Alder, Summer-sweet	NS (FAC+)	1	IV
Class MAGNOLIOPSIDA		Order ERICALES			
Family ERICACEAE		Heath Family			
204	<i>Rhododendron viscosum</i> (L.) Torr.	Clammy Azalea, Swamp-azalea; Swamp-honeysuckle	NS (FACW+)	1	IV
205	<i>Kalmia angustifolia</i> L. var. <i>angustifolia</i>	Sheep-laurel, Lambkill, Wicky	NS (FAC)	1	IV
205	<i>Kalmia latifolia</i> L.	Mountain-laurel, Calico-bush	NST (FACU)	1	IV
206	<i>Lyonia ligustrina</i> (L.) DC.	Maleberry, He-huckleberry	NS (FACW)	1	III
209	<i>Gaultheria procumbens</i> L.	Wintergreen, Teaberry, Checkerberry	NS (FACU)	1	III
209	<i>Epigaea repens</i> L.	Trailing Arbutus, Mayflower	NS	1	III
212	<i>Vaccinium angustifolium</i> Aiton	Common, Low, Lowbush, or Late Sweet Blueberry	NS (FACU-)	1	IV
	Synonyms:	<i>Vaccinium angustifolium</i> Ait. var. <i>laevifolium</i> House [F50; S93] <i>Vaccinium angustifolium</i> Ait. var. <i>nigrum</i> (Wood) Dole [F50; S93]			
212	<i>Vaccinium pallidum</i> Aiton	Low, Lowbush, or Early Sweet Blueberry; Hillside Blueberry	NS	1	IV
	Synonyms:	<i>Vaccinium vacillans</i> Torr. [F50; S93]			
212	<i>Vaccinium corymbosum</i> L.	Highbush Blueberry	NS (FACW-)	1	IV
	Synonyms:	<i>Vaccinium atrococcum</i> (A. Gray) Heller [F50 & S93 list as a separate species] <i>Vaccinium caesariense</i> MacKenzie [F50, K94, S93, & USDA82 list as a separate species] <i>Vaccinium corymbosum</i> L. var. <i>albiflorum</i> (Hook.) Fern. [F50; S93] <i>Vaccinium corymbosum</i> L. var. <i>corymbosum</i> [S93] <i>Vaccinium corymbosum</i> L. var. <i>glabrum</i> A. Gray. [F50; S93]			

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
213	<i>Gaylussacia frondosa</i> (L.) T. & G. Synonyms: <i>Gaylussacia frondosa</i> (L.) Torr. & Gray ex Torr. [K94]	Dangleberry, Bluetangle	NS (FAC)	1	III
213	<i>Gaylussacia baccata</i> (Wangenh.) K. Koch	Black Huckleberry	NS (FACU)	1	IV
Class MAGNOLIOPSIDA Order ERICALES Family PYROLACEAE Shinleaf Family					
214	<i>Chimaphila umbellata</i> (L.) Barton var. <i>cisatlantica</i> S. F. Blake Synonyms: <i>Chimaphila umbellata</i> (L.) W. Bart. ssp. <i>cisatlantica</i> (Blake) Hultén [K94]	Pipsissewa, Wintergreen, Prince's Pine	NH	1	III
214	<i>Chimaphila maculata</i> (L.) Pursh	Pipsissewa, Spotted Wintergreen	NH	1	III
Class MAGNOLIOPSIDA Order ERICALES Family MONOTROPACEAE Indian Pipe Family					
216	<i>Monotropa uniflora</i> L.	Indian Pipe, Corpse-plant	NP—\$F (FACU-)	1	III
Class MAGNOLIOPSIDA Order PRIMULALES Family PRIMULACEAE Primrose Family					
222	<i>Lysimachia quadrifolia</i> L.	Whorled Loosestrife	NPF (FACU-)	1	IV
222	<i>Trientalis borealis</i> Raf.	Starflower	NPF (FAC)	1	III
Class MAGNOLIOPSIDA Order ROSALES Family SAXIFRAGACEAE Saxifrage Family					
237	<i>Chrysosplenium americanum</i> Schwein. Synonyms: <i>Chrysosplenium americanum</i> Schwein. ex Hook. [K94]	Golden Saxifrage, Water-carpet, Water-mat	NPF (OBL)	1	III
Class MAGNOLIOPSIDA Order ROSALES Family ROSACEAE Rose Family					
240	<i>Spiraea alba</i> Du Roi var. <i>latifolia</i> (Aiton) Dippel Synonyms: <i>Spiraea latifolia</i> (Aiton) Borkh. [F50; USDA82]	Meadowsweet	NS (FAC+)	1	IV
240	<i>Spiraea tomentosa</i> L. var. <i>tomentosa</i>	Steeple-bush, Hardhack	NS (FACW-)	1	IV

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
244	<i>Potentilla simplex</i> Michx. Synonyms: <i>Potentilla simplex</i> Michx. var. <i>simplex</i> [S93] <i>Potentilla simplex</i> Michx. var. <i>calvescens</i> Fern. [F50; S93; USDA82]	Common or Old-field Cinquefoil; Five-fingers	NPF (FACU-)	1	IV
244	<i>Potentilla canadensis</i> L. Synonyms: <i>Potentilla canadensis</i> L. var. <i>canadensis</i> [S93]	Dwarf Cinquefoil, Running Five-fingers	NPF	1	IV
251	<i>Rubus hispidus</i> L. Synonyms: <i>Rubus hispidus</i> L. var. <i>obovalis</i> (Michx.) Fern. [F50; USDA82]	Swamp-, Bristly, or Evergreen Dewberry	NS (FACW)	1	IV
252	<i>Rubus flagellaris</i> Willd. Synonyms: <i>Rubus baileyanus</i> Britt. [F50, K94, & USDA82 list as a separate species] <i>Rubus jaysmithii</i> Bailey [F50 & S93 list as a separate species; K94 lists under <i>Rubus multiflorus</i>]	Northern Dewberry	NS (FACU-)	1	IV
252	<i>Rubus allegheniensis</i> T. C. Porter Synonyms: <i>Rubus alumnus</i> Bailey [F50, K94, & USDA82 list as a separate species] <i>Rubus paulus</i> Bailey [F50 lists as a separate species; K94 lists under <i>Rubus alumnus</i>]	Common or Sowteat Blackberry	NS (FACU-)	1	IV
257	<i>Rosa palustris</i> Marshall	Swamp-rose	NS (OBL)	1	III
258	<i>Rosa carolina</i> L. Synonyms: <i>Rosa carolina</i> L. var. <i>carolina</i> [S93]	Pasture-rose	NS	1	III
260	<i>Prunus serotina</i> Ehrh.	Wild Black Cherry, Rum Cherry	NT (FACU)	1	IV
260	<i>Prunus virginiana</i> L. var. <i>virginiana</i>	Choke-cherry	NST (FACU)	1	III
263	<i>Aronia arbutifolia</i> (L.) Elliott Synonyms: <i>Aronia arbutifolia</i> (L.) Elliott var. <i>arbutifolia</i> [S93] <i>Aronia arbutifolia</i> (L.) Pers. [K94] <i>Pyrus arbutifolia</i> (L.) L.f. [F50]	Red Chokeberry; Dogberry [R.I. colloquialism]	NS (FACW)	1	III
264	<i>Crataegus</i> sp.	hawthorn	T		
267	<i>Crataegus pruinosa</i> (Wendl.) K. Koch Synonyms: <i>Crataegus pruinosa</i> (Wendl. f.) K. Koch [K94]	Frosted Hawthorn	NTS	1	III

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
268	<i>Amelanchier</i> sp.	shadbush	NS	1	III or IV
Class MAGNOLIOPSIDA Order FABALES					
Family FABACEAE Pea or Bean Family					
293	<i>Desmodium</i> sp.	tick-trefoil	NPF	1	II or III
304	<i>Amphicarpaea bracteata</i> (L.) Fern. Synonyms: <i>Amphicarpa bracteata</i> (L.) Fern. [F50] <i>Amphicarpa bracteata</i> (L.) Fern. var. <i>bracteata</i> [S93] <i>Amphicarpa bracteata</i> (L.) Fern. var. <i>comosa</i> (L.) Fern. [F50; S93; USDA82] <i>Amphicarpa bracteata</i> (L.) Rickett & Stafleu [MT97]	Hog-peanut	NPAFV (FAC)	1	IV
Class MAGNOLIOPSIDA Order MYRTALES					
Family LYTHRACEAE Loosestrife Family					
310	<i>Decodon verticillatus</i> (L.) Elliott	Water-willow	NEPH (OBL)	1	III
Class MAGNOLIOPSIDA Order MYRTALES					
Family ONAGRACEAE Evening-primrose Family					
321	<i>Circaea lutetiana</i> L. var. <i>canadensis</i> L. Synonyms: <i>Circaea lutetiana</i> L. ssp. <i>canadensis</i> (L.) Aschers. & Magnus [K94] <i>Circaea quadrisulcata</i> (Maxim) Franch. & Sav. var. <i>canadensis</i> (L.) Hara [F50; S93]	Common Enchanter's Nightshade	NPF (FACU)	1	III
Class MAGNOLIOPSIDA Order MYRTALES					
Family MELASTOMATACEAE Melastome Family					
323	<i>Rhexia virginica</i> L.	Virginia or Wing-stem Meadow-beauty; Deergrass, Meadow-pitchers	NPF (OBL)	1	III
Class MAGNOLIOPSIDA Order CORNALES					
Family CORNACEAE Dogwood Family					
324	<i>Cornus amomum</i> Miller	Silky or Knob-styled Dogwood; "Red Willow"	NS (FACW)	1	III

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
324	<i>Cornus sericea</i> L. Synonyms: <i>Cornus sericea</i> L. ssp. <i>sericea</i> [K94] <i>Cornus stolonifera</i> Michx. [F50; S93; USDA82]	Red-osier Dogwood	NS (FACW+)	1	III
325	<i>Cornus canadensis</i> L.	Bunchberry, Dwarf Cornel	NPFH (FAC-)	1	III
325	<i>Nyssa sylvatica</i> Marshall var. <i>sylvatica</i>	Black Gum, Black Tupelo, Sour Gum, Pepperidge; Hornbeam, Snagwood, Mallet Tree [RI colloquialisms]	NT (FAC)	1	IV
Class MAGNOLIOPSIDA		Order SANTALES			
Family SANTALACEAE		Sandalwood Family			
326	<i>Comandra umbellata</i> (L.) Nutt. var. <i>umbellata</i> Synonyms: <i>Comandra umbellata</i> (L.) Nutt. ssp. <i>umbellata</i> [K94; USDA82]	Bastard or Star Toadflax	NP+F (FACU-)	1	III
Class MAGNOLIOPSIDA		Order CELASTRALES			
Family AQUIFOLIACEAE		Holly Family			
330	<i>Ilex verticillata</i> (L.) A. Gray	Winterberry; Black Alder (RI colloquialism)	NEST (FACW+)	1	III
331	<i>Nemopanthus mucronatus</i> (L.) Loes. Synonyms: <i>Nemopanthus mucronata</i> (L.) Trel. [F50; S93] <i>Nemopanthus mucronatus</i> (L.) Loes. ex Koehner [MT97] <i>Nemopanthus mucronatus</i> (L.) Trel. [USDA82]	Common Mountain-holly, Catberry	NS (OBL)	1	III
Class MAGNOLIOPSIDA		Order RHAMNALES			
Family VITACEAE		Grape Family			
343	<i>Vitis</i> sp.	grape	NWV	1	I or III
344	<i>Vitis labrusca</i> L.	Fox-grape	NWV (FACU)	1	IV
Class MAGNOLIOPSIDA		Order POLYGALALES			
Family POLYGALACEAE		Milkwort Family			
348	<i>Polygala paucifolia</i> Willd.	Fringed Polygala, Gay-wings, Flowering Wintergreen, Bird-on-the-wing	NPF (FACU)	1	III

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
Class MAGNOLIOPSIDA		Order SAPINDALES			
Family ACERACEAE		Maple Family			
352	<i>Acer saccharum</i> Marshall	Sugar or Hard Maple; Rock-maple	NT (FACU-)	1	III
353	<i>Acer rubrum</i> L. Synonyms: <i>Acer rubrum</i> L. var. <i>rubrum</i> [K94; S93] <i>Acer rubrum</i> L. var. <i>trilobum</i> K. Koch [F50; S93] <i>Acer rubrum</i> L. var. <i>trilobum</i> T. & G. ex K. Koch [K94; USDA82]	Red or Soft Maple; Swamp-maple	NT (FAC)	1	IV
Class MAGNOLIOPSIDA		Order SAPINDALES			
Family ANACARDIACEAE		Cashew Family			
354	<i>Toxicodendron vernix</i> (L.) Kuntze Synonyms: <i>Rhus vernix</i> L. [F50; S93]	Poison Sumac, Poison Elder, Poison Dogwood	NEST (OBL)	1	III
355	<i>Toxicodendron radicans</i> (L.) Kuntze var. <i>radicans</i> Synonyms: <i>Rhus radicans</i> L. [F50] <i>Rhus radicans</i> L. var. <i>radicans</i> [S93] <i>Toxicodendron radicans</i> (L.) Kuntze [USDA82] <i>Toxicodendron radicans</i> (L.) Kuntze ssp. <i>radicans</i> [K94] <i>Note:</i> True Poison Oak, <i>Toxicodendron pubescens</i> Miller, has not been reported from Rhode Island.	Common Poison Ivy, Cow-itch, Poison Mercury; "Poison Oak" [RI colloq.]	NWVS (FAC)	1	IV
Class MAGNOLIOPSIDA		Order GERANIALES			
Family OXALIDACEAE		Wood-sorrel Family			
358	<i>Oxalis stricta</i> L. Synonyms: <i>Oxalis europaea</i> Jord. [F50 and S93 list as a separate species]	Common Yellow Wood-sorrel	NPF	1	IV
Class MAGNOLIOPSIDA		Order GERANIALES			
Family GERANIACEAE		Geranium Family			
359	<i>Geranium maculatum</i> L.	Wild or Spotted Geranium; Cranesbill	NPF (FACU)	1	III

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
Class MAGNOLIOPSIDA Order GERANIALES					
Family BALSAMINACEAE Touch-me-not Family					
362	<i>Impatiens capensis</i> Meerb.	Spotted or Orange Touch-me-not; Jewelweed, Snapweed	NAF (FACW)	1	IV
Class MAGNOLIOPSIDA Order ARALIALES					
Family ARALIACEAE Ginseng Family					
363	<i>Aralia nudicaulis</i> L.	Wild Sarsaparilla	NPF (FACU)	1	IV
Class MAGNOLIOPSIDA Order ARALIALES					
Family APIACEAE Carrot Family					
369	<i>Hydrocotyle americana</i> L.	Marsh-pennywort	NPEF (OBL)	1	III
379	<i>Sium suave</i> Walter Synonyms: <i>Sium carsonii</i> E. M. Durand ex Gray	Water-parsnip [USDA82 lists as a separate species]	NPEF (OBL)	1	III
Class MAGNOLIOPSIDA Order GENTIANALES					
Family APOCYNACEAE Dogbane Family					
394	<i>Apocynum androsaemifolium</i> L.	Spreading Dogbane	NPF	1	III
Class MAGNOLIOPSIDA Order GENTIANALES					
Family ASCLEPIADACEAE Milkweed Family					
396	<i>Asclepias incarnata</i> L. var. <i>pulchra</i> (Ehrh.) Pers. Synonyms: <i>Asclepias incarnata</i> L. ssp. <i>pulchra</i> (Ehrh. ex Willd.) Woods. [K94]	Swamp-milkweed	NPEF (OBL)	1	III
Class MAGNOLIOPSIDA Order SOLANALES					
Family CUSCUTACEAE Dodder Family					
410	<i>Cuscuta</i> sp.	dodder, love-vine, strangle-weed	NAP+V	1	I or III
Class MAGNOLIOPSIDA Order LAMIALES					
Family LAMIACEAE Mint Family					
437	<i>Scutellaria lateriflora</i> L.	Mad-dog Skullcap	NPF (FACW+)	1	III

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
446	<i>Lycopus</i> sp.	water-horehound	NPF (OBL)	1	III
Class MAGNOLIOPSIDA Order SCROPHULARIALES					
Family OLEACEAE Olive Family					
464	<i>Fraxinus americana</i> L.	White Ash	NT (FACU)	1	IV
Class MAGNOLIOPSIDA Order SCROPHULARIALES					
Family SCROPHULARIACEAE Figwort Family					
473	<i>Chelone glabra</i> L. Synonyms: <i>Chelone glabra</i> L. var. <i>glabra</i> [S93]	White Turtlehead, Balmony, Snakehead	NPF (OBL)	1	III
487	<i>Melampyrum lineare</i> Desr.	cow-wheat	NA+F (FACU)	1	III
Class MAGNOLIOPSIDA Order CAMPANULALES					
Family CAMPANULACEAE Bellflower Family					
500	<i>Lobelia cardinalis</i> L. var. <i>cardinalis</i> Synonyms: <i>Lobelia cardinalis</i> L. ssp. <i>cardinalis</i> [K94; USDA82]	Cardinal-flower	NPF (FAW+)	1	III
Class MAGNOLIOPSIDA Order RUBIALES					
Family RUBIACEAE Madder Family					
503	<i>Mitchella repens</i> L.	Partridge-berry, Twinberry, Two-eyed Berry, Running Box	NPF (FACU)	1	III
506	<i>Galium palustre</i> L.	Marsh-bedstraw	NPF (OBL)	1	III
Class MAGNOLIOPSIDA Order DIPSACALES					
Family CAPRIFOLIACEAE Honeysuckle Family					
508	<i>Diervilla lonicera</i> Miller	Bush-honeysuckle	NS	1	III
513	<i>Viburnum dentatum</i> L. var. <i>lucidum</i> Aiton Synonyms: <i>Viburnum recognitum</i> Fern. [F50; S93] [USDA82 lists this as a separate species]	Northern or Common Arrowwood	NS (FACW-)	1	IV
513	<i>Viburnum acerifolium</i> L.	Maple-leaved Viburnum, Dockmackie, Arrowwood, Flowering Maple	NS	1	III
513	<i>Viburnum nudum</i> L. var. <i>cassinoides</i> (L.) T. & G. Synonyms: <i>Viburnum cassinoides</i> L. [F50; S93; USDA82]	Witherod, Northern Wild Raisin	NS (FACW)	1	III

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
514	<i>Sambucus canadensis</i> L. var. <i>canadensis</i>	Common Elderberry	NS (FACW)	1	III
Class MAGNOLIOPSIDA Order ASTERALES					
Family ASTERACEAE Aster Family					
540	<i>Bidens</i> sp.	beggar-ticks	NF	1	II or III
541	<i>Bidens frondosa</i> L.	Devil's Beggar-ticks, Stick-tight	NAF (FACW)	1	IV
568	<i>Solidago</i> spp.	goldenrods	NPF	1	
568	<i>Solidago puberula</i> Nutt. var. <i>puberula</i>	Downy or Dusty Goldenrod	NPF (FACU-)	1	III
568	<i>Solidago bicolor</i> L. Synonyms: <i>Solidago bicolor</i> L. var. <i>bicolor</i> [S93]	Silverrod, White Goldenrod	NPF	1	III
569	<i>Solidago uliginosa</i> Nutt. Synonyms: <i>Solidago uliginosa</i> Nutt. var. <i>linoides</i> (T. & G.) Fern. [F50; K94; S93] <i>Solidago uliginosa</i> Nutt. var. <i>terrae-novae</i> (T. & G.) Fern. [F50; K94; S93] <i>Solidago uliginosa</i> Nutt. var. <i>uliginosa</i> [S93]	Bog-goldenrod, Swamp-goldenrod	NPF (OBL)	1	III
572	<i>Solidago odora</i> Aiton var. <i>odora</i>	Sweet Goldenrod, Licorice-goldenrod	NPF	1	III
573	<i>Solidago gigantea</i> Aiton Synonyms: <i>Solidago gigantea</i> Aiton var. <i>gigantea</i> [S93] <i>Solidago gigantea</i> Aiton var. <i>leiophylla</i> Fern. [F50] <i>Solidago gigantea</i> Aiton var. <i>serotina</i> (Ait.) Cronq. [S93]	Late or Smooth Goldenrod	NPF (FACW)	1	III
581	<i>Aster</i> spp.	asters	NPF	1	III
583	<i>Aster lateriflorus</i> (L.) Britton Synonyms: <i>Aster lateriflorus</i> (L.) Britton var. <i>hirsicaulis</i> (Lindl. ex DC.) Porter [K94] <i>Aster lateriflorus</i> (L.) Britton var. <i>horizontalis</i> (Desf.) Farw. [K94; USDA82] <i>Aster lateriflorus</i> (L.) Britton var. <i>lateriflorus</i> [K94; S93] <i>Aster lateriflorus</i> (L.) Britton var. <i>pendulus</i> (Aiton) Burgess [F50; S93; USDA82]	Calico or Starved Aster; Goblet-aster	NPF (FACW-)	1	III

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
583	<i>Aster racemosus</i> Elliott Synonyms: <i>Aster fragilis</i> Willd. var. <i>subdumosus</i> (Wieg.) A. G. Jones [K94] <i>Aster vimineus</i> Lam. [S93] [F50 & USDA82 list as a separate species]	Small White or Small-headed Aster; Coastal-plain Aster	NPF (FACW)	1	IV
587	<i>Aster macrophyllus</i> L. Synonyms: <i>Aster macrophyllus</i> L. var. <i>ianthinus</i> (Burgess) Fern. [F50; K94; S93] <i>Aster macrophyllus</i> L. var. <i>macrophyllus</i> [F50; K94; S93]	Large-leaved or Big-leaved Aster	NPF	1	II
587	<i>Aster divaricatus</i> L. var. <i>divaricatus</i> Synonyms: <i>Aster divaricatus</i> (Nutt.) T. & G. [K94; USDA82]	White Wood-aster, Common White Heart-leaved Aster	NPF	1	IV
589	<i>Aster umbellatus</i> Miller	Tall Flat-topped White Aster	NPF (FACW)	1	III
600	<i>Eupatorium dubium</i> Willd. Synonyms: <i>Eupatoriadelphus dubius</i> (Willd. ex Poir.) R. M. King & H. E. Robins. [USDA82] <i>Eupatorium dubium</i> Willd. ex Poir [K94]	Three-nerved or Coastal-plain Joe-Pye-weed	NPF (FACW)	1	III
601	<i>Eupatorium perfoliatum</i> L. var. <i>perfoliatum</i>	White Boneset, Thoroughwort	NPF (FACW+)	1	III
618	<i>Prenanthes trifoliolata</i> (Cass.) Fern. Synonyms: <i>Prenanthes trifoliolata</i> (Cass.) Fern. var. <i>trifoliolata</i> [S93]	Gall-of-the-earth, Tall Rattlesnake-root	NPF	1	III
618	<i>Prenanthes alba</i> L.	White Lettuce, Rattlesnake-root	NPF (FACU)	1	III
624	<i>Hieracium paniculatum</i> L.	Panicled Hawkweed	NPF	1	III
624	<i>Hieracium scabrum</i> Michx. Synonyms: <i>Hieracium scabrum</i> Michx. var. <i>scabrum</i> [K94; S93]	Rough or Sticky Hawkweed	NPF	1	III
628	<i>Taraxacum officinale</i> Weber ex Wiggers Synonyms: <i>Taraxacum officinale</i> Weber ex Wiggers ssp. <i>officinale</i> [K94] <i>Taraxacum officinale</i> Weber var. <i>officinale</i> [S93]	Common Dandelion, Blowballs	IPF (FACU-)	4	IV

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
Class LILIOPSIDA (Monocotyledons) Order NAJADALES					
Family ALISMATACEAE Water-plantain Family					
634	<i>Sagittaria latifolia</i> Willd. var. <i>latifolia</i>	Broad-leaved or Common Arrowhead; Duck-potato, Wapato	NPEF (OBL)	1	III
	Synonyms: <i>Sagittaria latifolia</i> Willd. var. <i>obtusata</i> (Muhl.) Wieg. [F50; S93; USDA82]				
Class LILIOPSIDA Order ARALES					
Family ARACEAE Arum Family					
649	<i>Symplocarpus foetidus</i> (L.) Nutt.	Skunk-cabbage	NPF (OBL)	1	IV
	Synonyms: <i>Symplocarpus foetidus</i> (L.) Salisb. [USDA82] <i>Symplocarpus foetidus</i> (L.) Salisb. ex Nutt. [K94]				
649	<i>Peltandra virginica</i> (L.) Schott & Endl.	Arrow-arum, Tuckahoe	NPEF (OBL)	1	III
	Synonyms: <i>Peltandra virginica</i> (L.) Kunth [USDA82] <i>Peltandra virginica</i> (L.) Schott [K94]				
649	<i>Arisaema triphyllum</i> (L.) Schott var. <i>triphyllum</i>	Jack-in-the-pulpit, Bog-onion, Indian-turnip, Memory Root	NPF (FACW-)	1	IV
	Synonyms: <i>Arisaema atrorubens</i> (Aiton) Blume [F50] <i>Arisaema triphyllum</i> (L.) Schott [S93] <i>Arisaema triphyllum</i> (L.) Schott ssp. <i>triphyllum</i> [K94; MT97; USDA82]				
Class LILIOPSIDA Order COMMELINALES					
Family XYRIDACEAE Yellow-eyed Grass Family					
653	<i>Xyris difformis</i> Chapman	Common Yellow-eyed Grass	NPEF (OBL)	1	III
	Synonyms: <i>Xyris caroliniana</i> Walt. of some authors [F50, GC91, K94, & USDA82 list as a separate species]				
Class LILIOPSIDA Order JUNCALES					
Family JUNCACEAE Rush Family					
661	<i>Juncus tenuis</i> Willd. var. <i>tenuis</i>	Path-rush	NPG (FAC-)	1	IV
	Synonyms: <i>Juncus tenuis</i> Willd. [K94] <i>Juncus tenuis</i> Willd. var. <i>anthelatus</i> Wieg. [F50; S93] <i>Juncus tenuis</i> Willd. var. <i>williamsii</i> Fern. [F50; S93]				

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
Class LILIOPSIDA		Order CYPERALES			
Family CYPERACEAE Sedge Family		<i>Nomenclature according to Tucker, 1992 and Gordon Tucker, personal communication</i>			
673	<i>Scirpus cyperinus</i> (L.) Kunth	wool-grass, woolly bulrush	NPEG	1	III
674	<i>Eleocharis</i> spp.	spike-rushes	NPG	1	II or III
708	<i>Carex</i> spp.	sedges	PG		
720	<i>Carex pennsylvanica</i> Lam. var. <i>pennsylvanica</i>	Early Sedge	NPG	1	IV
728	<i>Carex swanii</i> (Fern.) Mackenzie	Swan's Sedge	NPG (FACU)	1	III
731	<i>Carex crinita</i> Lam.	sedge	NPEG (OBL)	1	III
732	<i>Carex stricta</i> Lam. Synonyms: <i>Carex stricta</i> Lam. var. <i>stricta</i> [S93] <i>Carex stricta</i> Lam. var. <i>strictior</i> (Dewey) Carey [F50; S93; USDA82]	Tussock Sedge	NPEG (OBL)	1	III
Class LILIOPSIDA		Order CYPERALES			
Family POACEAE Grass Family					
746	<i>Brachyelytrum erectum</i> (Schreber) P. Beauv. var. <i>septentrionale</i> Babel Synonyms: <i>Brachyelytrum septentrionale</i> (Babel) G. Tucker [K94]	Brachyelytrum, Long-awned Wood-grass, Short-husk Grass	NPG	1	III
796	<i>Panicum</i> sp.	panic-grass	NPG	1	III
804	<i>Panicum clandestinum</i> L. Synonyms: <i>Dichanthelium clandestinum</i> (L.) Gould [K94; USDA82]	Deertongue, (hidden) Panic-grass	NPG (FAC+)	1	IV
Class LILIOPSIDA		Order LILIALES			
Family PONTEDERIACEAE Water-hyacinth Family					
821	<i>Pontederia cordata</i> L.	Pickereelweed	NPEF (OBL)	1	IV

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
Class LILIOPSIDA Order LILIALES					
Family LILIACEAE Lily Family					
837	<i>Medeola virginiana</i> L.	Indian Cucumber-root	NPF	1	III
837	<i>Clintonia borealis</i> (Aiton) Raf.	Clinton's Lily, Bluebead-lily, Bead-lily, Corn-lily	NPF (FAC)	1	III
837	<i>Uvularia sessilifolia</i> L.	Wild Oats, Sessile Bellwort	NPF (FACU-)	1	III
839	<i>Smilacina racemosa</i> (L.) Desf.	False Solomon's Seal, Solomon's Plume; False or Wild Spikenard	NPF (FACU-)	1	IV
	Synonyms: <i>Maianthemum racemosum</i> (L.) Link ssp. <i>racemosum</i> [K94] <i>Smilacina racemosa</i> (L.) Desf. var. <i>cylindrata</i> Fern. [F50; S93; USDA82] <i>Smilacina racemosa</i> (L.) Desf. var. <i>racemosa</i> [S93]				
839	<i>Maianthemum canadense</i> Desf. var. <i>canadense</i>	False or Wild Lily-of-the-valley; Canada Mayflower, Two-leaved Solomon's Seal	NPF (FAC-)	1	IV
	Synonyms: <i>Maianthemum canadense</i> Desf. [K94]				
840	<i>Polygonatum pubescens</i> (Willd.) Pursh	Small, True, or Hairy Solomon's Seal	NPF	1	III
Class LILIOPSIDA Order LILIALES					
Family SMILACACEAE Catbrier Family					
843	<i>Smilax herbacea</i> L. var. <i>herbacea</i>	Carrion-flower, Carrion-vine, Jacob's Ladder	NPVF (FAC)	1	III
844	<i>Smilax glauca</i> Walter	Sawbrier, Wild Sarsaparilla	NSWV (FACU)	1	IV
	Synonyms: <i>Smilax glauca</i> Walter var. <i>leurophylla</i> Blake [F50; USDA82]				
844	<i>Smilax rotundifolia</i> L.	Bullbrier, Common Greenbrier, Catbrier, Horsebrier	NWV (FAC)	1	IV
Class LILIOPSIDA Order LILIALES					
Family IRIDACEAE Iris Family					
848	<i>Iris versicolor</i> L.	Northern Blue Flag, Wild Iris, Poison Flag	NPF (OBL)	1	III

Appendix F. Botanical Inventory at the Nipmuc River Conservation Area, Burrillville, RI — 2004. For explanation of codes, see Appendix G.

Page	Species	Common Name	Habit (Wetland Status)	RI Status	Abundance
Class LILIOPSIDA		Order ORCHIDALES			
Family ORCHIDACEAE		Orchid Family			
<i>Nomenclature according to Luer, 1975</i>					
851	<i>Cypripedium acaule</i> Aiton	Pink, Common, or Two-leaved Lady's-slipper (Lady-slipper); Moccasin-flower, Whip-poor-will Shoes, Nerve-root	NPF (FACU-)	1	III
855	<i>Goodyera pubescens</i> (Willd.) R. Brown Synonyms: <i>Goodyera pubescens</i> (Willd.) R. Br. ex Ait. f. [K94]	Downy Rattlesnake-plantain	NPF (FACU-)	1	III
856	<i>Platanthera</i> sp.	orchid	NPF	1	II or III