## **BURRILLVILLE SEWER COMMISSION**



\*NOTICE\*

POST OFFICE BOX 71 HARRISVILLE, R.I. 02830 TELEPHONE: 401/568-6296 FAX: 401/568-9464

The Burrillville Sewer Commission's Regular Meeting is scheduled for Tuesday, March 12, 2024 at the Wastewater Treatment Facility, which is scheduled for 6:30 PM in the Board Room of the Wastewater Treatment Facility, 141 Clear River Drive, Oakland RI 02858.

u,

Members Present: Chairman, William Andrews; Vice Chairman, Richard Nolan, Gary Roulea Daniel Joubert and Thomas Trimble, Commission Members.
Members Absent:
*A G E N D A *
To receive, consider, discuss and act upon every agenda item listed below:
That the question of accepting the Minutes of the Regular Meeting of February 20, 2024 and the question of dispensing with the reading of said minutes, be now taken up.
Public Comment:
Correspondence:

**New Business:** Discussion regarding how betterment assessment rules and other rules and regulations apply to those with private lines connected to the public sanitary sewer.

Oakland Pump Station Resiliency Grant Agreement between BSC and RIDEM.

**Old Business:** 

Invoices:


Engineer's Report: RIIB (Account CW # - BURR-CW-FY22)

RI Infrastructure Bank – Pay Request #23 in the amount of \$11,728.00

Exhibit A – Project Payment Requisition Form

Exhibit F – Wage Rate Requirement Certification Form

Exhibit G – Certification Regarding Debarment, Suspension and Other Responsibility Matters



Page 3

## **Attorney's Report:**

## **Superintendent's Report:**

Report for the month of February, 2024

**Sewer Use/Sewer Assessment Write-Offs** 

Adjournment:

The Burrillville Sewer Commission will provide accommodations needed to ensure equal participation. Please contact the Burrillville Sewer Commission at least three (3) business days prior to the meeting so arrangements can be made to provide such assistance at no cost to the person requesting it. A request for this service can be made in writing or by calling (401)568-4300(voice) or "via RI Relay 1-800-745-5555" (TTY).